

Taj Mahal

EN

General information

Featured products

Technical performance

Installation & care

Environmental & certifications

General information

Collection	Taj Mahal
Material	Natural stone (quartzite)
Look	Warm, natural, timeless
Colour	White (warm white with soft taupe and gold veining)
Surface finish	Honed
Edge	Micro-bevel
Application	Interior floors and walls, including shower floors and walls
Shade variation	As a natural stone, colour and veining vary from tile to tile
Origin	Quarried in Brazil
Nominal thickness	3/8" (10 mm)

Featured products

Colour	Finish	Edge
White	Honed	Micro-bevel

SIZES

Size (imperial)	Size (metric)	Thickness
24" x 48"	610 x 1219 mm	3/8" (10 mm)

Technical performance

Slip resistance (DCOF, ANSI A326.3, wet): 0.60, suitable for interior floors that get wet, including shower floors. Taj Mahal is a natural quartzite. Because natural stone varies from block to block, other measured performance values such as water absorption, frost resistance and breaking strength are not currently published for this collection.

For project-specific requirements, contact your Stone Tile consultant.

Installation & care

Application	Interior floors and walls, including shower floors and walls
Exterior use	Not recommended; supplied at 3/8" (10 mm) nominal thickness for interior applications
Installation method	Thin-set method using a white, non-staining polymer-modified mortar suited to large-format natural stone, over a sound, clean, flat, cured substrate
Large format	Use a mortar rated for large-format tile and stone; back-butter each tile to achieve a minimum 95% mortar contact per TTMAC (Canada) / TCNA (US) guidelines
Wet areas	Install over a waterproofing membrane per TTMAC (Canada) / TCNA (US) guidelines
Sealing	Natural stone is porous; apply a penetrating stone sealer before grouting and periodically thereafter
Movement joints	Provide movement (expansion) joints per TTMAC (Canada) / TCNA (US) guidelines
Maintenance	Clean with a pH-neutral stone cleaner; avoid acidic or abrasive cleaners

Note: Installation methods vary depending on design. Contact your Stone Tile consultant for additional information.

Disclaimer: The installation guidelines provided are the manufacturer's recommendations only. Stone Tile is not responsible for the installation of this product. Always consult a qualified installer and follow all applicable building codes.

Environmental & certifications

Environmental and certification documentation is not currently published for this collection. For project-specific certification requests, contact your Stone Tile consultant.